


# THE AMNEAL PATIENT SUPPORT SERVICES PROGRAM



**Everyone deserves  
access to essential  
medicines — that's  
why we're here**

*Amneal*

CREXONT® is a registered trademark of Amneal Pharmaceuticals LLC.  
© 2026 Amneal Pharmaceuticals LLC.  
Distributed by Amneal Specialty, a division of Amneal Pharmaceuticals LLC.  
All rights reserved.

*Amneal*

# PATIENT SUPPORT SERVICES PROGRAM OVERVIEW

## The Amneal Patient Support Services Patient Assistance Program

Eligible patients have the opportunity to apply to receive Patient Assistance for free medication for up to one year of CREXONT® (carbidopa and levodopa) extended-release capsules. For Patient Assistance consideration, please complete the Patient Assistance prescription in Section 4. Patients must satisfy financial and other program requirements.

### **Please see important safety information in this document, and full Prescribing Information Online.**

CREXONT® is indicated for the treatment of Parkinson's disease, post-encephalitic parkinsonism, and parkinsonism that may follow carbon monoxide intoxication or manganese intoxication in adults.

FDA has issued a new class warning regarding seizures from vitamin B6 deficiency while on CD/LD. Your doctor should test and monitor your B6 levels before starting and during treatment. Treatment with carbidopa/levodopa, including CREXONT®, may contribute to reduced vitamin B6 levels. Seizures associated with vitamin B6 deficiency have been reported. Seizures were refractory to traditional anti-seizure medications and were only resolved after vitamin B6 administration. Supplement with vitamin B6 as necessary. Other symptoms of vitamin B6 deficiency may occur, including depression, confusion, cheilosis, glossitis, dermatitis, anemia, and/or neuropathy. Supplement with vitamin B6 as necessary. **See full Prescribing Information:** <https://crexonthcp.com/wp-content/uploads/2026/03/CREXONT-PI-Word-Rev-03-2026.pdf>

## The Amneal Patient Support Services One-time 30-Day Complimentary Supply

Patients may also be eligible to receive a **One-time 30-Day Complimentary Supply** of CREXONT® to start their therapy. To be considered eligible for a one-time 30-Day Supply of CREXONT®, please complete the One-time 30-Day Complimentary Supply prescription in Section 5.

## Patient Assistance Program and one-time 30-Day Complimentary Supply

You may also elect to enroll your patient in Patient Assistance and a **one-time 30-Day Complimentary Supply**. For consideration of a one-time 30-day complimentary supply of CREXONT® and for free medication for up to one year of CREXONT® please complete Sections 4 and 5.

This form serves as an application for **Patient Assistance, a one-time 30-Day Complimentary Supply, or both Patient Assistance and a one-time 30-Day Complimentary Supply.**

CREXONT® (carbidopa and levodopa) extended-release capsules are available by prescription only.



## PATIENT SUPPORT SERVICES PROGRAM INSTRUCTIONS

Thank you for your interest in the Amneal Patient Support Services Program. This program is for CREXONT® (carbidopa and levodopa) extended-release capsules, as listed below. Attached is a copy of the application form.

## APPLICATION INSTRUCTIONS FOR PATIENTS - REQUIRED

- Complete all 3 of the following sections:
  - Patient Information (Section1)
  - Insurance Information (Section2)
  - Patient Authorization (Section3)
- Sign the application

## APPLICATION INSTRUCTIONS FOR PRACTITIONERS - REQUIRED

- Have patient complete the Patient Information sections 1, 2, and 3 and sign the application.
- Complete applicable Prescription Information in section 4 and/or section 5.
- Complete Clinical Information in section 6 and Practitioner Information in section 7. Provide phone, fax, State License number or NPI.
- Fax or mail the application to:

**Amneal Patient Support Services Program**  
**PO Box 362**  
**Columbus, OH 43216**  
**Phone 1-855-459-9909 Fax 1 -614-455-0883**

If the Patient Assistance Program is approved, patients are eligible to receive free medication for up to one year. Medications will be shipped to the patient's home. The Amneal Patient Support Services Program will send an application for renewal when a patient's enrollment is due to expire.

**Please call 1-855-459-9909 for questions regarding this program or application.**  
Monday through Friday, 8:00 am to 8:00 pm EST, excluding holidays

## THE FOLLOWING MEDICATION ARE AVAILABLE THROUGH THE AMNEAL PATIENT SUPPORT SERVICES PROGRAM

CREXONT 35/140 mg ER Capsules 120\*  
CREXONT 52.5/210 mg ER Capsules 120\*  
CREXONT 70/280 mg Capsules 120\*  
CREXONT 87.5/350 mg ER Capsules 120\*

\*If you are a New York or New Jersey Prescriber, please use an original New York State or New Jersey State Prescription Form. CREXONT® (carbidopa and levodopa) extended-release capsules in the following strengths 35/140 mg, 70/210 mg, 52.5/280 mg, 87.5/350 mg (available in a 30-, 60- or 90-day supply)

*Amneal*

## Section 1 - WELCOME TO THE AMNEAL PATIENT SUPPORT SERVICES FOR CREXONT (carbidopa and levodopa) extended-release capsules

PATIENT INFORMATION: (REQUIRED-PLEASE PRINT CLEARLY)

NOTE: UPON APPROVAL, MEDICATION WILL BE SHIPPED TO THE PATIENT'S ADDRESS.

This enrollment form may be used to enroll your patient in PAP, one-time 30-Day Complimentary Supply, or PAP and a one-time 30-Day Complimentary Supply. Please be sure to select the appropriate service in the Prescription Information section.

Last Name, First Name: _____	Gender**: _____	Patient Date of Birth: / / _____
Street Address/Shipping Address: (No PO Boxes) _____	Phone Number: ( ) _____	U.S. Resident: <input type="checkbox"/> Yes <input type="checkbox"/> No
City/State/Zip Code: _____	Medicare Number or SSN: _____	
Patient Email Address: _____	Number of people in household (include self): 1      2      3      4      5      6      7	

\*\*Gender is defined as sex at birth

## SECTION 2-PATIENT INSURANCE INFORMATION (REQUIRED) PLEASE COMPLETE ALL THAT APPLY AND INCLUDE FRONT AND BACK COPY OF INSURANCE CARD FOR EACH TYPE OF INSURANCE

- Patient Has No Insurance  
 Patient Has Insurance

### Primary insurer (including Medicaid, Medicare, veteran's benefits, and private insurers)

Plan name\* \_\_\_\_\_  
Phone number for customer service\* \_\_\_\_\_ Name of policyholder\* \_\_\_\_\_  
Policyholder date of birth \_\_\_\_\_ Policyholder relation to patient \_\_\_\_\_  
Group number \_\_\_\_\_ Policy ID number\* \_\_\_\_\_

### Secondary/supplemental insurer

Plan name\* \_\_\_\_\_  
Phone number for customer service\* \_\_\_\_\_ Name of policyholder\* \_\_\_\_\_  
Policyholder date of birth \_\_\_\_\_ Policyholder relation to patient \_\_\_\_\_  
Group number \_\_\_\_\_ Policy ID number\* \_\_\_\_\_

*Amneal*



## SECTION 4 – CREXONT® PRESCRIPTION INFORMATION FOR PATIENT ASSISTANCE PROGRAM

I would like to enroll my patient into the Amneal Patient Assistance Program

Patient Name: \_\_\_\_\_

Patient Date of Birth: \_\_\_\_\_

Check Medication and Strength:

CREXONT® 35/140 mg

CREXONT® 70/280 mg

CREXONT® 52.5/210 mg

CREXONT® 87.5/350 mg

Prescribing Directions: \_\_\_\_\_

Quantity: \_\_\_\_\_ per 30-day supply      Refills: \_\_\_\_\_

Other Medications (if applicable) \_\_\_\_\_ Known Drug Allergies (if applicable): \_\_\_\_\_

## SECTION 5 – CREXONT® PRESCRIPTION INFORMATION FOR ONE-TIME 30-DAY COMPLIMENTARY SUPPLY

I would like to enroll my patient into the One-time 30-Day Complimentary Supply.

Patient Name: \_\_\_\_\_

Patient Date of Birth: \_\_\_\_\_

Check Medication and Strength:

CREXONT® 35/140 mg

CREXONT® 70/280 mg

CREXONT® 52.5/210 mg

CREXONT® 87.5/350 mg

Prescribing Directions: \_\_\_\_\_

Quantity: \_\_\_\_\_ per 30-day supply

Other Medications (if applicable): \_\_\_\_\_ Known Drug Allergies (if applicable): \_\_\_\_\_

## SECTION 6 – CLINICAL INFORMATION

Diagnosis ICD-10 :

G20 Parkinson's disease

G21.3 Postencephalitic Parkinsonism

G21.2 Secondary Parkinson's due to other external agents

Other \_\_\_\_\_

## SECTION 7 - PRACTITIONER INFORMATION AND ATTESTATION: (PLEASE PRINT CLEARLY)

Prescriber Name: \_\_\_\_\_

Office Contact Person: \_\_\_\_\_

Prescriber State License #: \_\_\_\_\_

Prescriber Phone Number: \_\_\_\_\_

Prescriber Address \_\_\_\_\_

Prescriber NPI: \_\_\_\_\_

Prescriber Fax Number: \_\_\_\_\_

Collaborative Prescriber (Printed): \_\_\_\_\_

Collaborative Prescriber NPI: \_\_\_\_\_

By signing below, I verify that the information provided in this enrollment form is complete and accurate to the best of my knowledge. I understand that Amneal Pharmaceuticals LLC reserves the right at any time and for any reason, without notice, to modify this enrollment form or to modify or discontinue any services or assistance provided through Amneal Patient Support Services Program. Finally, I authorize Amneal Pharmaceuticals LLC, its affiliates, representatives and agents to forward the above prescription, by fax or other mode of delivery, to a pharmacy for fulfillment.

Prescriber Signature: \_\_\_\_\_

Date of Signature: \_\_\_\_\_

**\*If you are a New York or New Jersey Prescriber, please use an original New York State or New Jersey State Prescription Form, submit via E-script or verbally to the pharmacy pursuant to NY or NJ state laws.**



## IMPORTANT SAFETY INFORMATION

### Indications and Usage

**CREXONT**<sup>®</sup> (carbidopa and levodopa) extended-release capsules for oral use is indicated for the treatment of Parkinson's disease, post-encephalitic parkinsonism, and parkinsonism that may follow carbon monoxide intoxication or manganese intoxication in adults.

### Dosage and Administration

- Evaluate vitamin B6 levels before and during treatment with carbidopa/levodopa therapies
- Levodopa-naïve patients: Starting dose is 35 mg carbidopa/140 mg levodopa taken orally twice daily for the first three days; thereafter, dosage may be increased gradually as needed
- For patients converting to CREXONT from immediate-release carbidopa/levodopa, dosages are not substitutable on a 1:1 basis. See full prescribing information Section 2.2 for instructions
- For patients converting from Rytary<sup>®</sup> (carbidopa and levodopa) extended-release capsules, initiate CREXONT on an approximately 1:1 mg basis using the levodopa component for conversion
- CREXONT may be taken up to four times daily. The maximum recommended daily dosage is 525 mg carbidopa/2100 mg levodopa
- CREXONT may be taken with or without food. Capsules should not be chewed, divided or crushed
- CREXONT should not be taken with alcohol

### Contraindications

Nonselective MAO inhibitors.

### Warnings and Precautions

- CREXONT may cause falling asleep during activities of daily living, somnolence or dizziness. Patients should avoid activities that require alertness such as driving and operating machinery until they know how CREXONT affects them
- It is important to avoid sudden discontinuation or rapid dose reduction to reduce the risk of withdrawal symptoms such as high fever or confusion. Patients who are discontinuing CREXONT should taper off with healthcare provider guidance
- Consider dose reductions or stopping CREXONT in patients with hallucinations or impulse control disorders (e.g., gambling, sexual urges, or uncontrolled spending)
- Consider dose reduction in patients with dyskinesia
- Treatment with carbidopa/levodopa, including CREXONT, may contribute to reduced vitamin B6 levels. Seizures associated with vitamin B6 deficiency have been reported. Seizures were refractory to traditional anti-seizure medications and were only resolved after vitamin B6 administration. Supplement with vitamin B6 as necessary
- Other symptoms of vitamin B6 deficiency may occur, including depression, confusion, cheilosis, glossitis, dermatitis, anemia, and/or neuropathy. Supplement with vitamin B6 as necessary
- Patients with a major psychotic disorder should not be treated with CREXONT
- Monitor patients with a history of cardiovascular disease for cardiac function
- Monitor patients with a history of peptic ulcer for upper GI hemorrhage
- Monitor patients with glaucoma for increased intraocular pressure

### Adverse Reactions

The most common adverse reactions (incidence  $\geq$  3% and greater than immediate-release CD/LD) are nausea and anxiety.

### **Drug Interactions**

Iron salts and dopamine D2 antagonists, including metoclopramide, may reduce the effectiveness of CREXONT.

### **Use in Specific Populations**

**Pregnancy:** Based on animal data, CREXONT may cause fetal harm. There are no adequate data on the developmental risk associated with the use of CREXONT in pregnant women.

**Breastfeeding:** The developmental and health benefits of breastfeeding should be considered along with the mother's clinical need for CREXONT.

**Geriatric patients:** There were no differences in safety outcomes between patients less than 65 years of age, 65-75 years of age, or 75 years and older.

**To report SUSPECTED ADVERSE REACTIONS, contact Amneal Global Patient Safety at 1-877-835-5472, or FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch)**

Please read the full Prescribing Information.

PP-IPX203-US-0002 04/2026